





Brochure 2022







Healthy Living Spaces with the Laminate Flooring Collections Having Hygiene⁺ Feature

To live a healthy life, It is extremely important to have living spaces that are clean and free from bacteria. Manufactured with advanced technology, all the products in our laminate flooring collections with Hygiene+ feature leave no space for bacteria to reproduce. Bacteria and microbe can be transferred to the flooring via shoes, spilled liquids, pets and other sources. However, the Hygiene+ feature does not allow bacteria and the microbes to reproduce. Both you and your loved ones' health are protected.

The results of tests conducted on our laminate flooring collections with Hygiene+ feature have proved that the bacterial activity expected to be seen is blocked up to 99.9% within 24 hours.

(Tested according to ISO 22196)



Worlds First Eco Label "Blue Angel" Belongs to Floorpan for the First Time in Turkey


"The Blue Angel" is a certificate stating that laminate flooring products do not contain any chemicals that could be hazardous to health or environment.













-FOOT LODOS (OTN)














Panel / Package: 12 Pieces Package: 2,85 m² ~17 kg





FF002 ALİZE (OTN) AC37 mm






















FF003 BORA (OTN)



















































































FLOORPAN

The Advantages of Laminate Flooring



FAST AND EASY ASSEMBLY



RESISTANT TO SCRATCH



SUITABLE FOR UNDERFLOOR HEATING



E1 GRADE



RESISTANT TO POINT STRIKES



RESISTANT TO FURNITURE WHEEL ABRASION



ENVIRONMENTALLY FRIENDLY




BASE PANEL, HIGH DENSITY FIBERBOARD



1205 mm





01 - OVERLAY

HIGH QUALITY SURFACE PROTECTION RESISTANT TO WEAR AND SCRATCH

02 - DECOR PAPERREFLECTING THE CHARACTERISTICS OF THE PRODUCT WITH A UNIQUE DESIGN

03 - HDF

STRONG BASE PANEL, RESISTANT TO HIGH PRESSURE PRODUCED AS PER E1 NORM

04 - BALANCE PAPER

PROTECTS AGAINST HUMIDITY AND DISTORTION

Laminate Flooring Classification

CLASS	21	22	23	31	32	33	34
UTILIZATION	AC1	AC2	AC3		AC4	AC5	AC6
ABRASION RESISTANCE	≥ 500	≥ 1000	≥ 2000		≥ 4000	≥ 6000	≥ 8500
RESISTANCE TO STAINS	Min. 4 (group 1 and 2) Min. 3 (group 3)		Min. 5 (gro Min. 4 (g		Min. 5 (group 1, 2, 3)		

bridging nature and life



